

Vaccines Cause SIDS



Dylan Eleven

Jun 18, 2023 12 min

Subscribe



Stop Mandatory Vaccination

Sponsored · 



Parents, not only can any vaccine given at any age kill your child, but if this unthinkable tragedy does occur, doctors will dismiss it as "Sudden Infant Death Syndrome" (SIDS). If you are on the fence about vaccinating, read this story and then join our Facebook group to talk with like-minded parents.



Owen Matthew Stokes (Aug 18, 2017- Oct 25, 2017)

STOPMANDATORYVACCINATION.COM

**2-month old Dies 48 hours After 8 Vaccines:
Owen's Mom Speaks Out**

Steve Kirsch

Executive summary

In this article, I'll present just a few simple examples that demonstrate that vaccines cause autism. If vaccines don't cause autism, these data points are hard to explain away. And note that "they" never show you their data points measuring the same thing that show an opposite result!!

Stop or delay vaccination —> SIDS decreases dramatically

If you stop vaccinating, or simply delay when vaccines are given to kids, the rate of SIDS goes down. See [this article](#).



John Hetherington

@JohnHet20486040

Japan paused babies being vaccinated for their first two years, and S.I.D.S disappeared.....They know the harm being done!
S.I.D.S is a carbon copy,, so the weirdest part is, why the 'F' are kids being killed, when 2+2 is undeniably 4.

9:17 AM · May 22, 2023 · **187** Views

4 Retweets 1 Quote 8 Likes



CDC paper admits that vaccines can cause brain damage and death

See [this section in my previous Substack article](#) for the CDC study and **be sure to read all the highlighted sections** in [this excellent Substack article about the CDC paper](#).

It basically says the vaccine led to brain inflammation which then led either to permanent brain injury or death.


Get it?

Thus, we meet the “biological plausibility” condition in the Bradford Hill criteria with this paper.

But we didn’t even need that. The fact that people are hard to kill and that injecting a foreign substance directly into your body (bypassing your normal protection mechanisms) could kill you isn’t much of a stretch for most people.

SIDS is much more likely to happen right after vaccination

SIDS seems to happen more often after vaccination, especially if more vaccines are given such as in the example at the start of the article.



My previous article about SIDS

Read the comments in [my previous article which talks about SIDS](#).

My survey results of parents of kids who died from SIDS confirm it was MUCH more likely to happen after a shot than before a shot

Here is [my survey](#).

Here are [the results](#). It is most interesting to read the Notes section written by the parents. I have the contact information for all the parents who responded. There was one gamed entry which I deleted.

I wish someone would replicate this survey, but nobody seems to be interested in doing that. They all want to tell me that my survey is bad, but nobody wants to show the CORRECT results. **The lack of interest in doing the “correct” survey tells you everything you need to know, doesn’t it?**

The results of my survey show the odds of getting SIDS a month before the shot vs. a month after a shot are 2:32 or **1:16**.

If the vaccines aren’t elevating the risk of SIDS, how do you explain this HUGE discrepancy?

When	Child was NEVER vaccinated ...	17
	Don't remember	7
	DEFINITELY sometime BEFO...	5
	<1 mo BEFORE a scheduled ...	1
	<1 week BEFORE	1
	<1 day AFTER nearest vaccin...	5
	<3 days AFTER	7
	<1 week AFTER	10
	<1 month AFTER	11
	DEFINITELY sometime AFTER...	16
	Outside of those ranges	9
	Total	89

New paper

More vaccines -> higher infant mortality

Steve Kirsch



Executive summary Following a critique published on pre-print server by the Bailey Lab at BYU, whistleblower Gary Goldman and Neil Miller did a re-analysis of their original 2011 paper and find that their original conclusion was correct: "A positive correlation between the number of vaccine doses and infant mortality rates (IMRs) is detectable in the mos...[Read full story](#)

Probably zero Amish babies have ever died of SIDS

I couldn't find any SIDS in unvaccinated Amish kids either. Has anyone else?



David D. May DDS
@davirgmay

Probably zero Amish babies have ever died of SIDS

9:12 AM · May 22, 2023 · **705** Views

3 Retweets **32** Likes



Causality

The Bradford Hill criteria is widely recognized for establishing causality.

If all 5 Bradford Hill criteria are satisfied, you have causality.

We have causality as you can see from the evidence discussed in this article.

Summary

The evidence I'm aware of shows unambiguously that **vaccines cause SIDS**.

Your interpretation may vary.

See **the excellent Substack article below written by AMD** if you are still in doubt. This article convinced Dr. Pierre Kory he was wrong and that vaccines cause SIDS.

Original Article: <https://stevekirsch.substack.com/p/vaccines-cause-sids>

Healthy Adults are Not the Only Ones Who Have Been Killed by Vaccines

How governments (and now Big Tech) have covered up the evidence this happens for almost a century.

A Midwestern Doctor

Speaking out on the vaccine issue is very difficult, especially when you actively work in the medical field. One of the biggest things that made me realize I had to were all the sudden unexplained deaths in adults I was seeing once the COVID-19 vaccines hit the market, and the fact that everyone that was supposed to prevent something like this from happening were instead burying their heads in the sand and pretending nothing was going on.

Once I realized the public was getting red-pilled about the COVID-19 vaccines causing Sudden Adult Death Syndrome, I decided we'd reached a point where something else needed to be focused on—vaccines causing Sudden Infant Death Syndrome. This is an issue that is near and dear to my heart because the primary vaccine which is responsible for SIDS, DTP, caused severe brain injuries in two members of my extended family (one whom we were eventually able to treat and one whom remains a developmentally disabled adult) and a moderate brain injury within my immediate family. This is relevant to SIDS because the best explanation I have found for the condition is that it results from one specific type of brain injury that happens to be fatal because the injury impairs the brains ability to breathe automatically.

Note: the process we utilized to treat the DTP brain damage was complex and part of what I am trying to do here is explain each component that is needed for treating it (e.g., I'm presently working on an article about addressing the cell danger response and another on restoring the function of impaired cranial nerves). Two of the things that often need to be done are restoring the physiologic zeta potential and, if emotional deficits are present (something commonly observed in this population), addressing the trapped emotions within the individuals.

I feel the subject of SIDS is particularly important to speak out about because while babies are conscious and often make it abundantly clear they do not want to be vaccinated again if they previously had an adverse reaction to vaccination, very few

people register the infants are trying to communicate this. I hence have some sympathy for the signs not being recognized in nonverbal infants (as that's harder to spot), but it has always deeply bothered me when they are also ignored in young children who are forcefully restrained as they plead not to be vaccinated.

A key difference between adult and childhood vaccine injuries is that while sudden cardiac deaths in athletes are impossible to ignore, and the COVID vaccine injured adults have been quite vocal in expressing what happened to them, very few people besides the parents can recognize anything ever happened to a child. When you then consider how hard it has been for the COVID vaccine injured (or killed) adults to have their stories be listened to, you begin to see how much of an uphill battle is faced by the vaccine injured children who lack a voice entirely. In many cases, once the individual grows up, they don't even realize they experienced trauma as a child that still impacts them to this day until they start looking into why they've always had certain issues they can't get rid of (e.g., a visceral phobia to needle injections).

Note: one of the common things the medical system will do is label a politically inconvenient disease (e.g., because it was caused by a toxin that was put into the environment no one wants to acknowledge) as a "syndrome." This holds true for many of the complex illnesses patients struggle with, which I covered in this article about how the same playbook we saw used for SADS is used for many of other illnesses.

One of the great tragedies about SIDS is that vaccines causing SIDS has been known within the vaccine safety community for decades (e.g., numerous doctors have spoken out on it countless parents have protested for it to be recognized) yet almost no one knows about it. Beyond it not being accepted by the medical community (who will be inherently close minded towards anything challenging their mythologies), much of the general public is not aware this is an issue either.

This is incredible because there is a century of evidence showing the how and why vaccines (particularly DTP) cause SIDS, including some very compelling ones from the recent lockdowns. Furthermore, many of the same issues that DTP causes in children mirror what the spike protein injections cause in adults, something which again illustrates the importance of understanding this issue.

For this reason, I put together a comprehensive article summarizing that evidence (along with the common rebuttals used to dismiss it) so people could decide for

themselves if an issue existed. A few weeks ago, Kory tweeted out that [article](#) and it went viral. This suggested many share my concerns on this subject, including some who had direct experience with SIDS after a vaccination:



Pierre Kory, MD MPA 
@PierreKory

...

Before COVID-19, I fully admit I'd have had difficulty believing vaccines caused sudden infant deaths or that our government would have covered up decades of evidence showing they did.

This article did a remarkable job of compiling that evidence.



medium.com

The Century of Evidence That Vaccines Cause Infant Deaths

The Disturbing Parallels between Sudden Infant Death Syndrome and Sudden Adult Death Syndrome

Unfortunately, after it went viral, I found out that it had been deleted by Medium.

Since I presented a significant amount of evidence both that vaccines cause SIDS and that the government has silenced many parents who lost their children, it puts Medium on very shaky ground to argue their policies for deleting accounts was applicable in my situation—since by banning me, they are effectively complicit in something that does directly threaten public safety (killing babies).

I admit this was quite frustrating and I feel like Big Tech has turned things into a wack-a-mole game for people trying to tell the truth. Every time I find a way to bypass the existing censorship online, something new happens (e.g., when something I post that is on target manages to go viral, if some of its content is hosted on a site like Vimeo that had I thought supported free speech, someone always seems to step in and get my account banned). I was using Medium to get around Twitter blocking Substack posts (some friends who are internet marketers suggested it), and felt safe using doing so since many people online stated Medium did not censor content.

However, as the above shows, I was extremely naive in this regard. I then contacted [Steve Kirsch](#) to share my experience; he laughed, told me he was banned for life from Medium, and then asked me to write an article about this.

The Century of Evidence Vaccines Cause Infant Deaths

Because the Medium article was deleted, many asked me to send it to them. The full article I wrote on Substack that compiled all the evidence vaccines cause infant deaths can be viewed [here](#):

The Century of Evidence That Vaccines Cause Infant Deaths



The Sudden Adult Death Syndrome (SADS) that was seen worldwide after the COVID-19 vaccines rolled out was so unmistakable that it made the general public see how much their governments had lied to them. What is less known, however, is the link between vaccines and the sudden death of children (euphemistically called Sudden Infant Death Syndrome or SIDS).

Read full story

Since the article is a bit long (there is a lot of evidence), Steve asked me to summarize some of its key points. They include:

- SIDS is most clearly linked to the DTP vaccine. Unmarked mass graves of orphaned babies early versions of the DTP vaccines were tested on in the 1930s were unearthed in 2014, which suggests the dangers of this vaccine have been known for almost a century.
- Over the decades, many studies have been conducted by both the government and the pharmaceutical industry demonstrating that sudden infant deaths cluster at the time immediately following vaccination, something that could only happen if the deaths were linked to the vaccine. This clustering has also been observed within years of case

reports of twins both dying shortly after DTP vaccination (events seen in both twins are typically weighed highly for determining causality) and in an extensive analysis of the VAERS data.

- NICU (ICUs for infants) studies have repeatedly shown vaccinations can cause slowed heart rates and respiratory arrest, requiring rapid medical intervention (typically unavailable at home) to prevent the infant from dying. A study conducted outside the hospital also showed periodic breathing interruptions following DTP vaccination. I believe this potentially fatal side effect results from microstrokes in the brain close to the brain center that controls your automatic breathing.

- A dose-response relationship exists between vaccination and the respiratory arrest which precedes SIDS. The NICU studies show premature infants (who, by having a smaller body weight, effectively receive a higher dose if the same vaccination is given) and infants that receive multiple vaccines simultaneously (again a higher dose) are at a higher risk of respiratory arrest.

- An English doctor who worked in the impoverished Aborigine communities in Australia observed between a 10-50% death rate in Aboriginal children (compared to 2% in the general Australian population). He traced this to vaccination in the context of malnutrition and found that much of it could be prevented by giving the children vitamin C (which he directly proved in an animal model).

- Certain cases of SIDS are erroneously assumed to be due to abusive parents shaking or beating their children. **Because of this, parents have been unjustly jailed for a murder they never committed.**

- In locations worldwide, the incidence of SIDS increased in tandem (often quite dramatically) with rising vaccination rates. Honest doctors who were in practice when this happened, have repeatedly attested to observing the link between the two.

- In 1978, a hot DTP vaccine lot killed nine babies. The manufacturer decided to address this issue by issuing a policy to distribute their lots throughout the country so a hot lot could not cluster in one area and be detectable (likewise, an FDA official who inspected some of the DTP vaccines stated 15-20% of them failed inspection).

- Because more and more cases of children dying soon after vaccination emerged across America in the 1980s, parents began to lobby Congress to do something about it.

- In 1985, *DPT, a Shot in the Dark*,* was published. It showed that cases of SIDS after vaccination had been documented as early as 1933, that by the 1940s, cases of identical twins suffering SIDS after vaccination were being reported in the medical literature, and that numerous physicians had documented this correlation and unsuccessfully tried to bring it to the attention of their peers. Rather than admit there was a problem (despite many government officials knowing there was), the government covered it up over and over again. This reached the point the FDA told a DTP vaccine manufacturer that wanted to list SIDS as an adverse event from the vaccine on the package insert not to list it.

Note: DPT and DTP are to some extent used interchangeably.

- DTP, a Shot in the Dark's 1985 publication, gave the parents enough political clout to get the government to do something. This resulted in the National Childhood Vaccine Injury Act being passed, which, had its intent been followed (which has not happened), would have significantly helped the parents of vaccine-injured children (instead, it has done the opposite). Additionally, the more harmful version of the DTP vaccine (the whole cellular one) was phased out and replaced with a not-as-harmful version (the acellular one). Unfortunately, this version is much less effective—something an anonymous federal pertussis researcher has told me is also well-known by their colleagues.

- The whole cellular (and cheaper) version is still given in Africa. When its effects were studied by one of the WHO's leading vaccine researchers, he discovered that DTP increased deaths 3.93 times in boys and 9.98 times in girls when compared to children who did not receive it. Despite this gravely concerning data, the WHO was unwilling to reconsider giving whole cellular DTP to the developing world.

- The Back to Sleep campaign appears to have been an attempt to cover up DTP causing SIDS, and its adoption does not appear to correlate to SIDS rates.

- When the lockdowns occurred, many in the vaccine safety movement predicted that this would cause an unprecedented drop in SIDS since children were not going in for

vaccination appointments. This ended up being exactly what happened. Igor Chudov has also shown that recent declines in vaccination rates in Florida simultaneously resulted in significant declines in the infant death rate.

- DTP is composed of three components. The first component is to prevent a complication of a Diphtheria infection—however, diphtheria infections are non-existent within the United States. The second component, pertussis, does not prevent one from being infected by pertussis or spreading it (outbreaks periodically happen amongst the vaccinated). Rather, it only reduces the severity of the illness. In regards to the final component, there are approximately 30 cases of tetanus a year in the United States (out of 332 million people), 2 of which will be fatal for older individuals. Beyond this being a rare condition, the benefit of the vaccine is unclear, as even with three doses, many still develop tetanus.

Note: in the same way vaccination fails to prevent the infection or transmission of COVID-19, whereas early treatment typically prevents COVID-19 from becoming an issue and provides long lasting immunity, pertussis (which also has an ineffective vaccine) responds well to treatment with vitamin C. Unfortunately, much in the same way none of the early treatments for COVID-19 (besides the ineffective but lucrative Paxlovid) have been considered by the medical profession, almost no one knows about using vitamin C for pertussis.

For those wishing to learn more on any of the above points, please see the longer article that goes into more detail on each of them.

Conclusion

If you had not watched what has happened with the COVID-19 vaccines, like Pierre Kory, you probably would have never believed any of the evidence I compiled could be true. I am hopeful in the near future that, groups (including Medium) who worked to cover up what has happened will be held accountable for their actions. However, as this century of malfeasance shows, unless we force the government to address it, all of it will be swept under the rug and continue for the rest of our lifetimes.

Source: <https://substack.com/@amidwesterndoctor>

Subscribe to Truth11.com

Receive Articles By Email

 **Subscribe now**

Support Truth11.com • Make A Donation

• Become A Subscriber

Armed With The Truth • United We Stand